

SIRIUS HRI 132W



Product features and benefits

- Lightweight and compact reflector lamps with ECG
- High luminance through very short arc and high pressure
- Produces brilliant light effects
- Stable light output over the entire lifetime
- Long lifetime
- Easy lamp replacement
- Approved by leading moving lighting fixture companies

Areas of application

- Concert lighting
- Club & Disco

Product datasheet

Technical data

General product information

Product Number	54476
Product Name	SIRIUS HRI 132W BULK VS60 60/CS 60/SKU
Ordering Abbreviation	SIRIUS HRI 132W
Brand Name	OSRAM
Family Brand Name	SIRIUS HRI
General Description	132W, Mercury vapor, reflector
Application	Moving head fixtures

Electrical data

Nominal Wattage	132 W
Nominal Voltage	62 V
Current (A)	1.9 A

Light technical data

Luminous Flux	5150 lm
Working Distance a (mm)	37.7 mm
Color Temperature	9200 K
Color Rendering Index	60
Average Rated Life	6000 h

Physical attributes

Bulb Shape	REFLECTOR
Length l (mm)	44 mm
Length l max. (in)	1.66 in
Diameter d (in)	1.810 in
Diameter d (mm)	46.00 mm
Electrode Gap - cold (mm)	1 mm

Additional product data

Operating Position	ANY
Forced Cooling	Required

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54476	4052899028708	Folding box (SKU)	1	3.4 in x 3.4 in x 4.1 in	0.2 lb

Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
54476	4052899028715	Shipping box (Case)	2	7.3 in x 3.8 in x 4.5 in	0.6 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.